

PRODUCT-DETAILS

3KDE175511L9100

AI910S Analog input (AI4-Ex)



General Information

3KDE175511L9100 2

Product ID3KDE175511L9100ABB Type DesignationAl910SCatalog DescriptionAl910S Analog input (Al4-Ex)

The remote S900 I/O system can be installed in non-hazardous areas or directly in Zone 1 or Zone 2 hazardous area depending on the selected system variant. S900 I/O communicates with the control system level using PROFIBUS DP standard. The I/O system can be installed directly in the field, therefore the costs for mashalling and wiring are reduced.

The system is sturdy, error-tolerant and easy to service. Integrated disconnection mechanisms allow replacement during operation, meaning that there is no need to interrupt the primary voltage in order to exchange the power supply units.

S900 I/O type S. For installation in hazardous area Zone 1. For connecting intrinsically safe field devices installed in Zone 2 or Zone 1 or Zone 0.

Long Description

Al910S Analog Input (Al4-Ex), input and power supply for 4...20 mA loop powered 2-

wire transmitters.

- ATEX Certification for installation in Zone 1 - Redundancy (Power and Communication)

- Hot Configuration in Run

- Hot Swap functionality

- Extended Diagnostic

- Excellent configuration and diagnostics via FDT/DTM

- G3-coating for all components

- Simplified maintenance with auto-diagnostics

- Power supply for 4...20 mA loop powered 2-wire transmitters

- Short and break detection

- Electrical isolation between input / bus and input / power

- Common return for all inputs

- 4 channels

Additional Information

Medium Description	Al910S Analog input (Al4-Ex)
Product Type	I-O_Module

Ordering

Country of Origin	Germany (DE) United States (US)
Customs Tariff Number	8538909999

Dimensions

Product Net Length	104 mm
Product Net Height	20 mm
Product Net Width	104 mm
Product Net Weight	0.14 kg

Technical

Number of Channels	4
Channel Type	Al
Number of Input	4
Channels	

Classifications

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WELL Category	5. Small Equipment (No External Dimension Plote Than 50 cm)

Number of Batteries 0

RoHS Status Following EU Directive 2011/65/EU

Categories

Control System Products \rightarrow I/O Products \rightarrow S900 I/O \rightarrow S900 I/O - Modules \rightarrow Al910S Analog inputs \rightarrow Al910S Analog input Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S900 I/O \rightarrow I/O Modules Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S900 I/O \rightarrow I/O Modules

